Lanorma



Variety background

-	
Breeder	Den Hartigh
Breeder Agent	Branston
Parentage	Bydand x Caesar

Agronomy characteristics

Maturity	Early maincrop	
Dormancy	Long	
Yield	High	
Shape uniformity	Very good	
Tuber shape	Oval	
Tuber numbers	Medium	
Eye depth	Medium	
Flower colour	White	
Bruise/damage resistance	Low	
Drought resistance	Moderate	
Nitrogen group RB209	3	

Resistances (1=low/poor)


Foliage blight	5
Tuber blight	3
Common scab	8
Powdery scab	4
Dry rot	4
Blackleg	5
PVY	5
PLRV	6
Spraing (TRV)	7
PCN Ro1	Resistant
PCN Pa2/3	Partial (5)

Sensory characteristics

_		
Cooking type	B - Fairly firm	
Skin colour	Cream	
Flesh colour	Cream	
Disintegration	Low	
Dry matter %	18-21%	
Target market	Table use - Bakers	

Seed density

Count/50kg	Population	Seed Rate
	(000/ha)	(t/ha)
500	31.0	3.10
600	33.1	2.76
700	35.3	2.52
800	37.5	2.34
900	39.4	2.19



This bold, cream fleshed variety which produces high yields of bakers.

Lanorma has some useful disease resistance including to common scab, black dot and PCN Pallida but avoid planting on sites with a high risk of powdery scab.

Lanorma



Metribuzin use - pre-emergence only.